LUNYU

浙江伦禹科技有限公司

真空阀门&管件

VACUUM VALVES & FITTINGS (KF,ISO,CF,NW SERIES)





浙江伦禹科技有限公司
ZHEJIANG LUNYU TECHNOLOGY CO., LTD

地址：中国.温州经济技术开发区滨海工业园区
Add:Binhai Industrial Zone,Economic Development Zone,
Wenzhou,China
电话（Tel):0086-577-86813871
邮编（P.C.):325025
Http://www.lunyutec.com
E-mail:sales@lunyutec.com

本公司是一家专业从事光伏行业及真空设备配套产品的企业，专业生产单品炉上零部件：真空波纹管、四通、三通、弯头、真空接头、卡箍等等，并配套真空国标及非标的所有部件，为用户提供一流的零部件，让用户的产品有一个更完美的保障。

本公司位于温州经济技术开发区，拥有一支生产能力突出的专业队伍，对质量实时全程监控，因而产品质量得以持续、稳定地发展。

为了适应不断拓展的市场需求，满足客户对产品“高质量、低价位”的要求。伦禹科技以其先进的管理体系、一流的质量服务，不断提升企业自身的品质，使伦禹深受广大客户好评，让我们共创辉煌。

Our company is an enterprise specialized in photovoltaic industry and vacuum equipment supporting products, specializing in the production of single furnace parts: vacuum bellows, four-way, three-way, elbow, vacuum joint, clamp, etc., and supporting all vacuum national standard and non-standard parts, to provide users with first-class parts, so that users' products have a more perfect guarantee.

The company is located in Wenzhou Economic and Technological Development Zone, has a professional team with outstanding production capacity, real-time monitoring of the quality of the whole process, so that product quality can be sustained and stable development.

In order to adapt to the expanding market demand and meet the customers' requirements of "high quality and low price". Lunyu technology with its advanced management system, first-class quality service, and constantly improve the quality of their own enterprises, so that Lunyu by the majority of customers, let us create brilliant.




KF Double Pin Clamp
真空双销卡箍

产品材质：铝合金
Material: Aluminum

产品规格：KF16/25/40/50
Product Size: KF16/25/40/50

表面处理：本色处理
Surface Treatment:Natural Color Treatment



Size	A/mm	B/mm	C/mm	Weight/G	Chuck Outer Diameter mm
KF16	41	62	16.5	63	30
KF25	53	72	16.5	76	40
KF40	70	89.5	16.5	98	55
KF50	92	113	20.5	176	75

KF Double Pin Clamp
真空双销卡箍

产品材质：铝合金
Material: Aluminum

产品规格：KF16/25/40/50
Product Size: KF16/25/40/50

表面处理：本色处理
Surface Treatment:Natural Color Treatment




Size	A/mm	B/mm	C/mm	Weight/G	Chuck Outer Diameter mm
KF16	42.5	63	16.5	62.1	30
KF25	54	72	17	73.8	40
KF40	72	90	17.5	95.5	55
KF50	92	114	20.5	156.5	75

ISO Sub Parent Double Wall Clamp
ISO 子母卡钳

产品材质：铝合金+不锈钢螺栓
Material: Aluminum+Stainless Steel Bolt

产品规格：M10
Product Size: M10

表面处理：本色处理
Surface Treatment:Natural Color Treatment




Size	A/mm	B1/mm	B2/mm	C/mm	D/mm	Weight/G	Max Size
M10	27.8	17.5	25	20.2	19	81	40

ISO Double Wall Clamp
ISO 双边卡钳

产品材质：铝合金+不锈钢螺栓
Material: Aluminum+Stainless Steel Bolt

产品规格：产品规格：M8/10/12
Product SProduct Size: M8/10/12

表面处理：本色处理
Surface Treatment:Natural Color Treatment



Size	A/mm	B1/mm	B2/mm	C/mm	C1/mm	D/mm	Weight/G
M8	24.2	23.5	20	16.5	16.5	17	51.4
M10	27.6	23.4	20	20	20	19	72
M12	34	30	24.9	24.5	26.5	23	132