

浙江伦禹科技有限公司
ZHEJIANG LUNYU TECHNOLOGY CO., LTD
地址：中国.温州经济技术开发区滨海工业园区
Add:Binhai Industrial Zone,Economic Development Zone, Wenzhou,China
电话（Tel):0086-577-86813871
邮编（P.C.):325025
Http://www.lunyutec.com
E-mail:sales@lunyutec.com

温州源宇机械有限公司
WENZHOU YUANYU MECHANICAL CO.,LTD
地址：中国.温州经济技术开发区滨海工业园区
Add:Binhai Industrial Zone,Economic Development Zone, Wenzhou,China
电话（Tel):0086-577-85827878
邮编（P.C.):325025
Http://www.wzyyjx.com.cn
E-mail:yyvalves@wzyyjx.com.cn

LUNYU
浙江伦禹科技有限公司

真空阀门&管件
VACUUM VALVES & FITTINGS (KF,ISO,CF,NW SERIES)



www.lunyutec.com

目录 Contents

003 公司简介 Company Profile

004 KF管件系列 KF Fittings Series


005 ISO管件系列 ISO Fittings Series

006 CF管件系列 CF Fittings Series

007 阀门系列 Vacuum Valves Series

008 产品锦集 Products Show

产品锦集（PRODUCTS SHOW）



公司简介 Company Profile

本公司是一家专业从事光伏行业及真空设备配套产品的企业，专业生产单品炉上零部件：真空波纹管、四通、三通、弯头、真空接头、卡箍等等，并配套真空国标及非标的所有部件，为用户提供一流的零部件，让用户的产品有一个更完美的保障。

本公司位于温州经济技术开发区，拥有一支生产能力突出的专业队伍，对质量实时全程监控，因而产品质量得以持续、稳定地发展。

为了适应不断拓展的市场需求，满足客户对产品“高质量、低价位”的要求。伦禹科技以其先进的管理体系、一流的质量服务，不断提升企业自身的品质，使伦禹深受广大客户好评，让我们共创辉煌。

Our company is an enterprise specialized in photovoltaic industry and vacuum equipment supporting products, specializing in the production of single furnace parts: vacuum bellows, four-way, three-way, elbow, vacuum joint, clamp, etc., and supporting all vacuum national standard and non-standard parts, to provide users with first-class parts, so that users' products have a more perfect guarantee.

The company is located in Wenzhou Economic and Technological Development Zone, has a professional team with outstanding production capacity, real-time monitoring of the quality of the whole process, so that product quality can be sustained and stable development.

In order to adapt to the expanding market demand and meet the customers' requirements of "high quality and low price". Lunyu technology with its advanced management system, first-class quality service, and constantly improve the quality of their own enterprises, so that Lunyu by the majority of customers, let us create brilliant.

产品锦集（PRODUCTS SHOW）




产品可以定制（Products Can be Customized.)

产品图片 Photos



GI手动真空蝶阀（GI MANUAL BUTTERFLY VALVE)




Flange Standard:
JB919

Type	D	B	H	A	L	n-Φc
DN80	145	125	108	30	154	4-Φ9
DN100	170	145	120	30	154	4-Φ12
DN125	195	170	136	35	197	8-Φ12
DN150	220	195	150	35	197	8-Φ12
DN200	275	250	185	40	242	8-Φ12

ISO真空软管（ISO BELLOW)






Size	A	B	Material	
ISO63	95	100-1000	SS304	Length can be customized
ISO80	110			
ISO100	130			
ISO125	155			
ISO160	180			
ISO200	240			
ISO250	290			

真空卡箍（KF CLAMP)






Size	b	B	c	Material
KF10	63	42.5	16	SS304/Aluminum
KF16	63	42.5	16	SS304/Aluminum
KF25	72	54	16	SS304/Aluminum
KF40	90	70	16	SS304/Aluminum
KF50	114	90	20	SS304/Aluminum


ISO真空螺栓（ISO HOOK BOLT)






Size	l	M	l1	Material
DN63-100ISO	60	M8	12-33	SS304
DN63-250ISO	65	M10	22-33	SS304
DN320-500ISO	75	M12	26-52	SS304
DN320-500ISO	85	M12	26-52	SS304
DN630ISO	95	M12	36-62	SS304

真空接头（KF FLANGE)







Note:Length,Thickness can be customized.

Size	L	B	A	C	D
KF10	20/30/40/50	12.2	30	10	13
KF10	20/30/40/50	12.2	30	10	14
KF10	20/30/40/50	12.2	30	9.4	12.7
KF16	20/30/40/50	17.2	30	16	19
KF16	20/30/40/50	17.2	30	16	20
KF16	20/30/40/50	17.2	30	15.8	19.1
KF25	20/30/40/50	17.2	30	25	28
KF25	20/30/40/50	26.2	40	25	28
KF25	20/30/40/50	26.2	40	22.1	25.4
KF40	20/30/40/50	41.2	55	40	44
KF40	20/30/40/50	41.2	55	40	45
KF40	20/30/40/50	41.2	55	34.8	38.1
KF50	20/30/40/50	52.2	75	50	54
KF50	20/30/40/50	52.2	75	50	57
KF50	20/30/40/50	52.2	75	47.5	50.8

ISO真空法兰（ISO Welding Flange)








Size	A	B	C	D	E1	E2
ISO63	95	70	12	90	63.7	76.4
ISO80	110	83	12	105	76.4	88.9
ISO100	130	102	12	125	101.8	108
ISO125	155	127.5	12	150	133.6	129.3
ISO160	180	153	12	175	152.3	159
ISO200	240	213	12	235	203.7	219
ISO250	290	261	12	285	254.5	273

真空盲板（KF BLANK FLANGE)






Size	A	B	L
KF10	30	12.2	5.1
KF16	30	17.2	5.1
KF25	40	26.2	5.1
KF40	55	41.2	5.1
KF50	75	52.2	5.1
KF63	87	70	5.1
KF80	114	83	12
KF100	134	102	12
KF160	190	153	12

ISO真空双边卡箍（ISO DOUBLE CLAMP)






Size	A	B	C	M
DN63	50	22	22-40	8
DN150	61	27	26-50	10
DN150	69	35	34-58	12

真空中心支架（KF CENTERING)








Size	d1	d	h	h1	Material
KF10	10	12	8	3.9	SS+FPM/AL+NBR
KF16	16	17	8	3.9	SS+FPM/AL+NBR
KF25	25	26	8	3.9	SS+FPM/AL+NBR
KF40	40	41	8	3.9	SS+FPM/AL+NBR
KF50	50	52	8	3.9	SS+FPM/AL+NBR

ISO三通（ISO TEE)






Size	a	Welding Size	b	Material
ISO63	88	70/63/76	176	SS304
ISO100	108	102/108	216	SS304
ISO160	138	153/154/159	276	SS304
ISO200	178	213/219/204	356	SS304
ISO250	208	261/267/254	416	SS304

真空弯头（KF ELBOW)






Size	A	C	B
KF16	40	30	17.2
KF25	50	40	26.2
KF40	65	55	41.2
KF50	70	75	52.2

ISO弯头（ISO ELBOW)






Size	A	B	C	Material
ISO63	88	70/63/76	95	SS304
ISO80	118	83/89/76	110	SS304
ISO100	138	102/108	130	SS304
ISO125		127.5/129/133	155	SS304
ISO160	167	153/154/159	180	SS304
ISO200	203	213/’219/204	240	SS304
ISO250	208	261/267/254	290	SS304

真空三通（KF TEE)






Size	b	a
KF16	80	40
KF25	100	50
KF40	130	65
KF50	140	70

ISO中心支架带外圈（ISO Outering+ Centering+ O ring)






Size	d2	d1	h	s	d
ISO63	68	70	8	3.9	96
ISO100	100	102	8	3.9	128
ISO160	151	153	8	3.9	179
ISO200	210	213	8	3.9	239
ISO250	256	261	8	3.9	287

真空四通（KF CROSS)






Size	L	L1	A
KF16	80	40	30
KF25	100	50	40
KF40	130	65	55
KF50	140	70	75

CF真空法兰（CF WELDING FLANGE)






Size	A	B	C	H	L	n-Φd
CF16	34	27	18	7.3	4.3	6-Φ4.3
CF35	70	58.7	38	13	5.5	6-Φ6.6
CF50	86	72.4	53	16	8	8-Φ8.4
CF63	114	92.2	66	17.5	9.5	8-Φ8.4
CF80	130	110	85	18	10	16-Φ8.4
CF100	152	130.3	104	20	11	16-Φ8.4
CF150	202	181	154	22	12.5	20-Φ8.4

真空大小头（KF REDUCER)






Size	D	d	L
KF16XKF10	30	30	40
KF25XKF10	40	30	40
KF25XKF16	40	30	40
KF40XKF16	55	30	40
KF40XKF25	55	40	40
KF50XKF25	75	40	40
KF50XKF40	75	55	40

真空宝塔接头（KF HOSE BARB)





Size	d	l	Material
KF16X12	12	40	SS304
KF16X16	16	40	SS304
KF25	12	40	SS304
KF25	16	40	SS304
KF25	25	40	SS304
KF40	12	40	SS304
KF40	16	40	SS304
KF40	25	40	SS304
KF40	40	40	SS304